Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 2-4 | Count | 0 | 1 | 1 |
| Diagnosis | | % within Sex | .0% | 1.0% | .2% |
| | 5-12 | Count | 0 | 5 | 5 |
| | | % within Sex | .0% | 4.8% | 1.2% |
| | 13-19 | Count | 17 | 6 | 23 |
| | | % within Sex | 5.5% | 5.7% | 5.5% |
| | 20-24 | Count | 39 | 18 | 57 |
| | | % within Sex | 12.6% | 17.1% | 13.7% |
| | 25-29 | Count | 45 | 13 | 58 |
| | | % within Sex | 14.5% | 12.4% | 14.0% |
| | 30-34 | Count | 53 | 19 | 72 |
| | | % within Sex | 17.1% | 18.1% | 17.3% |
| | 35-39 | Count | 68 | 21 | 89 |
| | | % within Sex | 21.9% | 20.0% | 21.4% |
| | 40-44 | Count | 42 | 10 | 52 |
| | | % within Sex | 13.5% | 9.5% | 12.5% |
| | 45-49 | Count | 18 | 5 | 23 |
| | | % within Sex | 5.8% | 4.8% | 5.5% |
| | 50-54 | Count | 13 | 2 | 15 |
| | | % within Sex | 4.2% | 1.9% | 3.6% |
| | 55-59 | Count | 7 | 5 | 12 |
| | | % within Sex | 2.3% | 4.8% | 2.9% |
| | 60-64 | Count | 4 | 0 | 4 |
| | | % within Sex | 1.3% | .0% | 1.0% |
| | 65-69 | Count | 3 | 0 | 3 |
| | | % within Sex | 1.0% | .0% | .7% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| Total | | Count | 310 | 105 | 415 |
| | F ()A/ | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 145 | 32 | 177 |
| | | % within Sex | 46.8% | 30.5% | 42.7% |
| | African American | Count | 102 | 58 | 160 |
| | | % within Sex | 32.9% | 55.2% | 38.6% |
| | Hispanic | Count | 53 | 13 | 66 |
| | | % within Sex | 17.1% | 12.4% | 15.9% |
| | Asian-Pacific Islander | Count | 2 | 1 | 3 |
| | | % within Sex | .6% | 1.0% | .7% |
| | Am Indian-Alaskan | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | Not Specified | Count | 7 | 1 | 8 |
| | | % within Sex | 2.3% | 1.0% | 1.9% |
| Total | _ | Count | 310 | 105 | 415 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 153 | 0 | 153 |
| Exposure | | % within Sex | 49.4% | .0% | 36.9% |
| | IDU | Count | 30 | 16 | 46 |
| | | % within Sex | 9.7% | 15.2% | 11.1% |
| | M-M & IDU | Count | 14 | 0 | 14 |
| | | % within Sex | 4.5% | .0% | 3.4% |
| | Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | Heterosexual Contact | Count | 29 | 48 | 77 |
| | | % within Sex | 9.4% | 45.7% | 18.6% |
| | Transfusion | Count | 2 | 0 | 2 |
| | | % within Sex | .6% | .0% | .5% |
| | Not Classified | Count | 81 | 35 | 116 |
| | | % within Sex | 26.1% | 33.3% | 28.0% |
| | Ped Parent at Risk | Count | 0 | 3 | 3 |
| | | % within Sex | .0% | 2.9% | .7% |
| | Ped Other-Undet | Count | 0 | 3 | 3 |
| | | % within Sex | .0% | 2.9% | .7% |
| Total | | Count | 310 | 105 | 415 |
| | 5 114 II | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 176 | 177 |
| | | % within Adult-Ped | 16.7% | 43.0% | 42.7% |
| | African American | Count | 3 | 157 | 160 |
| | | % within Adult-Ped | 50.0% | 38.4% | 38.6% |
| | Hispanic | Count | 2 | 64 | 66 |
| | | % within Adult-Ped | 33.3% | 15.6% | 15.9% |
| | Asian-Pacific Islander | Count | 0 | 3 | 3 |
| | | % within Adult-Ped | .0% | .7% | .7% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .2% | .2% |
| | Not Specified | Count | 0 | 8 | 8 |
| | | % within Adult-Ped | .0% | 2.0% | 1.9% |
| Total | | Count | 6 | 409 | 415 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 2 | 0 | 2 |
| Diagnosis | | % within Sex | 1.1% | .0% | .8% |
| | 5-12 | Count | 2 | 1 | 3 |
| | | % within Sex | 1.1% | 1.4% | 1.2% |
| | 13-19 | Count | 5 | 5 | 10 |
| | | % within Sex | 2.9% | 7.1% | 4.1% |
| | 20-24 | Count | 14 | 14 | 28 |
| | | % within Sex | 8.0% | 20.0% | 11.5% |
| | 25-29 | Count | 29 | 14 | 43 |
| | | % within Sex | 16.7% | 20.0% | 17.6% |
| | 30-34 | Count | 32 | 9 | 41 |
| | | % within Sex | 18.4% | 12.9% | 16.8% |
| | 35-39 | Count | 32 | 11 | 43 |
| | | % within Sex | 18.4% | 15.7% | 17.6% |
| | 40-44 | Count | 24 | 8 | 32 |
| | | % within Sex | 13.8% | 11.4% | 13.1% |
| | 45-49 | Count | 20 | 3 | 23 |
| | | % within Sex | 11.5% | 4.3% | 9.4% |
| | 50-54 | Count | 7 | 3 | 10 |
| | | % within Sex | 4.0% | 4.3% | 4.1% |
| | 55-59 | Count | 4 | 0 | 4 |
| | | % within Sex | 2.3% | .0% | 1.6% |
| | 60-64 | Count | 1 | 1 | 2 |
| | | % within Sex | .6% | 1.4% | .8% |
| | 65-69 | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .6% | 1.4% | .8% |
| Total | | Count | 174 | 70 | 244 |
| 1100.4 | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 88 | 25 | 113 |
| | | % within Sex | 50.6% | 35.7% | 46.3% |
| | African American | Count | 58 | 39 | 97 |
| | | % within Sex | 33.3% | 55.7% | 39.8% |
| | Hispanic | Count | 19 | 4 | 23 |
| | | % within Sex | 10.9% | 5.7% | 9.4% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Not Specified | Count | 8 | 2 | 10 |
| | | % within Sex | 4.6% | 2.9% | 4.1% |
| Total | | Count | 174 | 70 | 244 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 95 | 0 | 95 |
| Exposure | | % within Sex | 54.6% | .0% | 38.9% |
| | IDU | Count | 25 | 19 | 44 |
| | | % within Sex | 14.4% | 27.1% | 18.0% |
| | M-M & IDU | Count | 11 | 0 | 11 |
| | | % within Sex | 6.3% | .0% | 4.5% |
| | Heterosexual Contact | Count | 3 | 28 | 31 |
| | | % within Sex | 1.7% | 40.0% | 12.7% |
| | Not Classified | Count | 36 | 22 | 58 |
| | | % within Sex | 20.7% | 31.4% | 23.8% |
| | Ped Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Ped Parent at Risk | Count | 2 | 1 | 3 |
| | | % within Sex | 1.1% | 1.4% | 1.2% |
| | Ped Other-Undet | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| Total | | Count | 174 | 70 | 244 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 2 | 111 | 113 |
| | | % within Adult-Ped | 40.0% | 46.4% | 46.3% |
| | African American | Count | 3 | 94 | 97 |
| | | % within Adult-Ped | 60.0% | 39.3% | 39.8% |
| | Hispanic | Count | 0 | 23 | 23 |
| | | % within Adult-Ped | .0% | 9.6% | 9.4% |
| | Asian-Pacific Islander | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .4% | .4% |
| | Not Specified | Count | 0 | 10 | 10 |
| | | % within Adult-Ped | .0% | 4.2% | 4.1% |
| Total | | Count | 5 | 239 | 244 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 9 | 8 | 17 |
| Diagnosis | | % within Sex | 1.0% | 2.1% | 1.3% |
| | 1 (12-23 mo) | Count | 0 | 3 | 3 |
| | | % within Sex | .0% | .8% | .2% |
| | 2-4 | Count | 2 | 5 | 7 |
| | | % within Sex | .2% | 1.3% | .5% |
| | 5-12 | Count | 5 | 6 | 11 |
| | | % within Sex | .5% | 1.6% | .8% |
| | 13-19 | Count | 29 | 28 | 57 |
| | | % within Sex | 3.1% | 7.3% | 4.4% |
| | 20-24 | Count | 93 | 60 | 153 |
| | | % within Sex | 10.1% | 15.7% | 11.7% |
| | 25-29 | Count | 135 | 73 | 208 |
| | | % within Sex | 14.7% | 19.1% | 16.0% |
| | 30-34 | Count | 171 | 60 | 231 |
| | | % within Sex | 18.6% | 15.7% | 17.7% |
| | 35-39 | Count | 207 | 55 | 262 |
| | | % within Sex | 22.5% | 14.4% | 20.1% |
| | 40-44 | Count | 127 | 43 | 170 |
| | | % within Sex | 13.8% | 11.3% | 13.0% |
| | 45-49 | Count | 76 | 17 | 93 |
| | | % within Sex | 8.3% | 4.5% | 7.1% |
| | 50-54 | Count | 28 | 13 | 41 |
| | | % within Sex | 3.0% | 3.4% | 3.1% |
| | 55-59 | Count | 18 | 7 | 25 |
| | | % within Sex | 2.0% | 1.8% | 1.9% |
| | 60-64 | Count | 13 | 3 | 16 |
| | | % within Sex | 1.4% | .8% | 1.2% |
| | 65-69 | Count | 5 | 0 | 5 |
| | | % within Sex | .5% | .0% | .4% |
| | 70+ | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .3% | .2% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| Total | | Count | 921 | 382 | 1303 |
| - 110DA | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 458 | 140 | 598 |
| | | % within Sex | 49.7% | 36.6% | 45.9% |
| | African American | Count | 317 | 200 | 517 |
| | | % within Sex | 34.4% | 52.4% | 39.7% |
| | Hispanic | Count | 122 | 35 | 157 |
| | | % within Sex | 13.2% | 9.2% | 12.0% |
| | Asian-Pacific Islander | Count | 5 | 1 | 6 |
| | | % within Sex | .5% | .3% | .5% |
| | Am Indian-Alaskan | Count | 1 | 2 | 3 |
| | | % within Sex | .1% | .5% | .2% |
| | Not Specified | Count | 18 | 4 | 22 |
| | | % within Sex | 2.0% | 1.0% | 1.7% |
| Total | _ | Count | 921 | 382 | 1303 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 430 | 0 | 430 |
| Exposure | | % within Sex | 46.7% | .0% | 33.0% |
| | IDU | Count | 118 | 99 | 217 |
| | | % within Sex | 12.8% | 25.9% | 16.7% |
| | M-M & IDU | Count | 73 | 0 | 73 |
| | | % within Sex | 7.9% | .0% | 5.6% |
| | Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .2% | .0% | .2% |
| | Heterosexual Contact | Count | 51 | 121 | 172 |
| | | % within Sex | 5.5% | 31.7% | 13.2% |
| | Transfusion | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .5% | .4% |
| | Not Classified | Count | 228 | 138 | 366 |
| | | % within Sex | 24.8% | 36.1% | 28.1% |
| | Ped Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | Ped Parent at Risk | Count | 9 | 17 | 26 |
| | | % within Sex | 1.0% | 4.5% | 2.0% |
| | Ped Other-Undet | Count | 6 | 5 | 11 |
| | | % within Sex | .7% | 1.3% | .8% |
| Total | | Count | 921 | 382 | 1303 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/ | | |
| | | | Pediatric | Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 585 | 1 | 598 |
| | | % within Adult-Ped | 31.6% | 46.3% | 100.0% | 45.9% |
| | African American | Count | 22 | 495 | 0 | 517 |
| | | % within Adult-Ped | 57.9% | 39.2% | .0% | 39.7% |
| | Hispanic | Count | 4 | 153 | 0 | 157 |
| | | % within Adult-Ped | 10.5% | 12.1% | .0% | 12.0% |
| | Asian-Pacific Islander | Count | 0 | 6 | 0 | 6 |
| | | % within Adult-Ped | .0% | .5% | .0% | .5% |
| | Am Indian-Alaskan | Count | 0 | 3 | 0 | 3 |
| | | % within Adult-Ped | .0% | .2% | .0% | .2% |
| | Not Specified | Count | 0 | 22 | 0 | 22 |
| | | % within Adult-Ped | .0% | 1.7% | .0% | 1.7% |
| Total | _ | Count | 38 | 1264 | 1 | 1303 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 9 | 8 | 17 |
| Diagnosis | | % within Sex | 1.0% | 2.1% | 1.3% |
| | 1 (12-23 mo) | Count | 0 | 3 | 3 |
| | | % within Sex | .0% | .8% | .2% |
| | 2-4 | Count | 2 | 4 | 6 |
| | | % within Sex | .2% | 1.1% | .5% |
| | 5-12 | Count | 5 | 6 | 11 |
| | | % within Sex | .6% | 1.6% | .9% |
| | 13-19 | Count | 29 | 28 | 57 |
| | | % within Sex | 3.2% | 7.4% | 4.5% |
| | 20-24 | Count | 92 | 60 | 152 |
| | | % within Sex | 10.3% | 15.9% | 11.9% |
| | 25-29 | Count | 135 | 71 | 206 |
| | | % within Sex | 15.1% | 18.8% | 16.2% |
| | 30-34 | Count | 168 | 60 | 228 |
| | | % within Sex | 18.7% | 15.9% | 17.9% |
| | 35-39 | Count | 199 | 54 | 253 |
| | | % within Sex | 22.2% | 14.3% | 19.9% |
| | 40-44 | Count | 124 | 42 | 166 |
| | | % within Sex | 13.8% | 11.1% | 13.0% |
| | 45-49 | Count | 70 | 17 | 87 |
| | | % within Sex | 7.8% | 4.5% | 6.8% |
| | 50-54 | Count | 27 | 13 | 40 |
| | | % within Sex | 3.0% | 3.4% | 3.1% |
| | 55-59 | Count | 17 | 7 | 24 |
| | | % within Sex | 1.9% | 1.9% | 1.9% |
| | 60-64 | Count | 12 | 3 | 15 |
| | | % within Sex | 1.3% | .8% | 1.2% |
| | 65-69 | Count | 5 | 0 | 5 |
| | | % within Sex | .6% | .0% | .4% |
| | 70+ | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .3% | .2% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| Total | | Count | 897 | 377 | 1274 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 1 (12-23 mo) | Count | 1 | 0 | 1 |
| Age | | % within Sex | .1% | .0% | .1% |
| | 2-4 | Count | 6 | 6 | 12 |
| | | % within Sex | .7% | 1.6% | .9% |
| | 5-12 | Count | 7 | 10 | 17 |
| | | % within Sex | .8% | 2.7% | 1.3% |
| | 13-19 | Count | 6 | 9 | 15 |
| | | % within Sex | .7% | 2.4% | 1.2% |
| | 20-24 | Count | 41 | 43 | 84 |
| | | % within Sex | 4.6% | 11.4% | 6.6% |
| | 25-29 | Count | 95 | 53 | 148 |
| | | % within Sex | 10.6% | 14.1% | 11.6% |
| | 30-34 | Count | 158 | 65 | 223 |
| | | % within Sex | 17.6% | 17.2% | 17.5% |
| | 35-39 | Count | 171 | 52 | 223 |
| | | % within Sex | 19.1% | 13.8% | 17.5% |
| | 40-44 | Count | 181 | 63 | 244 |
| | | % within Sex | 20.2% | 16.7% | 19.2% |
| | 45-49 | Count | 112 | 37 | 149 |
| | | % within Sex | 12.5% | 9.8% | 11.7% |
| | 50-54 | Count | 66 | 21 | 87 |
| | | % within Sex | 7.4% | 5.6% | 6.8% |
| | 55-59 | Count | 22 | 11 | 33 |
| | | % within Sex | 2.5% | 2.9% | 2.6% |
| | 60-64 | Count | 17 | 3 | 20 |
| | | % within Sex | 1.9% | .8% | 1.6% |
| | 65-69 | Count | 8 | 2 | 10 |
| | | % within Sex | .9% | .5% | .8% |
| | 70+ | Count | 6 | 2 | 8 |
| | | % within Sex | .7% | .5% | .6% |
| Total | | Count | 897 | 377 | 1274 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 445 | 138 | 583 |
| | | % within Sex | 49.6% | 36.6% | 45.8% |
| | African American | Count | 310 | 198 | 508 |
| | | % within Sex | 34.6% | 52.5% | 39.9% |
| | Hispanic | Count | 119 | 34 | 153 |
| | | % within Sex | 13.3% | 9.0% | 12.0% |
| | Asian-Pacific Islander | Count | 5 | 1 | 6 |
| | | % within Sex | .6% | .3% | .5% |
| | Am Indian-Alaskan | Count | 1 | 2 | 3 |
| | | % within Sex | .1% | .5% | .2% |
| | Not Specified | Count | 17 | 4 | 21 |
| | | % within Sex | 1.9% | 1.1% | 1.6% |
| Total | _ | Count | 897 | 377 | 1274 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 424 | 0 | 424 |
| Exposure | | % within Sex | 47.3% | .0% | 33.3% |
| | IDU | Count | 113 | 97 | 210 |
| | | % within Sex | 12.6% | 25.7% | 16.5% |
| | M-M & IDU | Count | 73 | 0 | 73 |
| | | % within Sex | 8.1% | .0% | 5.7% |
| | Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .2% | .0% | .2% |
| | Heterosexual Contact | Count | 49 | 121 | 170 |
| | | % within Sex | 5.5% | 32.1% | 13.3% |
| | Transfusion | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .5% | .4% |
| | Not Classified | Count | 217 | 136 | 353 |
| | | % within Sex | 24.2% | 36.1% | 27.7% |
| | Ped Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | Ped Parent at Risk | Count | 9 | 16 | 25 |
| | | % within Sex | 1.0% | 4.2% | 2.0% |
| | Ped Other-Undet | Count | 6 | 5 | 11 |
| | | % within Sex | .7% | 1.3% | .9% |
| Total | | Count | 897 | 377 | 1274 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/ | | |
| | | | Pediatric | Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 11 | 571 | 1 | 583 |
| | | % within Adult-Ped | 29.7% | 46.2% | 100.0% | 45.8% |
| | African American | Count | 22 | 486 | 0 | 508 |
| | | % within Adult-Ped | 59.5% | 39.3% | .0% | 39.9% |
| | Hispanic | Count | 4 | 149 | 0 | 153 |
| | | % within Adult-Ped | 10.8% | 12.1% | .0% | 12.0% |
| | Asian-Pacific Islander | Count | 0 | 6 | 0 | 6 |
| | | % within Adult-Ped | .0% | .5% | .0% | .5% |
| | Am Indian-Alaskan | Count | 0 | 3 | 0 | 3 |
| | | % within Adult-Ped | .0% | .2% | .0% | .2% |
| | Not Specified | Count | 0 | 21 | 0 | 21 |
| | | % within Adult-Ped | .0% | 1.7% | .0% | 1.6% |
| Total | | Count | 37 | 1236 | 1 | 1274 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 5-12 | Count | 1 | 0 | 1 |
| Diagnosis | | % within Sex | .5% | .0% | .4% |
| | 13-19 | Count | 3 | 0 | 3 |
| | | % within Sex | 1.4% | .0% | 1.1% |
| | 20-24 | Count | 5 | 7 | 12 |
| | | % within Sex | 2.4% | 9.6% | 4.3% |
| | 25-29 | Count | 17 | 11 | 28 |
| | | % within Sex | 8.2% | 15.1% | 10.0% |
| | 30-34 | Count | 31 | 12 | 43 |
| | | % within Sex | 14.9% | 16.4% | 15.3% |
| | 35-39 | Count | 52 | 26 | 78 |
| | | % within Sex | 25.0% | 35.6% | 27.8% |
| | 40-44 | Count | 39 | 10 | 49 |
| | | % within Sex | 18.8% | 13.7% | 17.4% |
| | 45-49 | Count | 28 | 5 | 33 |
| | | % within Sex | 13.5% | 6.8% | 11.7% |
| | 50-54 | Count | 20 | 1 | 21 |
| | | % within Sex | 9.6% | 1.4% | 7.5% |
| | 55-59 | Count | 7 | 0 | 7 |
| | | % within Sex | 3.4% | .0% | 2.5% |
| | 60-64 | Count | 4 | 1 | 5 |
| | | % within Sex | 1.9% | 1.4% | 1.8% |
| | 65-69 | Count | 1 | 0 | 1 |
| | | % within Sex | .5% | .0% | .4% |
| Total | | Count | 208 | 73 | 281 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 100 | 27 | 127 |
| | | % within Sex | 48.1% | 37.0% | 45.2% |
| | African American | Count | 58 | 32 | 90 |
| | | % within Sex | 27.9% | 43.8% | 32.0% |
| | Hispanic | Count | 43 | 10 | 53 |
| | | % within Sex | 20.7% | 13.7% | 18.9% |
| | Asian-Pacific Islander | Count | 2 | 1 | 3 |
| | | % within Sex | 1.0% | 1.4% | 1.1% |
| | Not Specified | Count | 5 | 3 | 8 |
| | | % within Sex | 2.4% | 4.1% | 2.8% |
| Total | | Count | 208 | 73 | 281 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 86 | 0 | 86 |
| Exposure | | % within Sex | 41.3% | .0% | 30.6% |
| | IDU | Count | 22 | 15 | 37 |
| | | % within Sex | 10.6% | 20.5% | 13.2% |
| | M-M & IDU | Count | 14 | 0 | 14 |
| | | % within Sex | 6.7% | .0% | 5.0% |
| | Hemophiliac | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.4% | .7% |
| | Heterosexual Contact | Count | 26 | 29 | 55 |
| | | % within Sex | 12.5% | 39.7% | 19.6% |
| | Transfusion | Count | 3 | 3 | 6 |
| | | % within Sex | 1.4% | 4.1% | 2.1% |
| | Not Classified | Count | 55 | 25 | 80 |
| | | % within Sex | 26.4% | 34.2% | 28.5% |
| | Ped Parent at Risk | Count | 1 | 0 | 1 |
| | | % within Sex | .5% | .0% | .4% |
| Total | | Count | 208 | 73 | 281 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|--------------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | rediatific 1 | 126 | 127 |
| rado Earmony | TTIME TOTT THOPAINE | % within Adult-Ped | 100.0% | 45.0% | 45.2% |
| | African American | Count | 0 | 90 | 90 |
| | | % within Adult-Ped | .0% | 32.1% | 32.0% |
| | Hispanic | Count | 0 | 53 | 53 |
| | | % within Adult-Ped | .0% | 18.9% | 18.9% |
| | Asian-Pacific Islander | Count | 0 | 3 | 3 |
| | | % within Adult-Ped | .0% | 1.1% | 1.1% |
| | Not Specified | Count | 0 | 8 | 8 |
| | | % within Adult-Ped | .0% | 2.9% | 2.8% |
| Total | | Count | 1 | 280 | 281 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 5-12 | Count | 0 | 1 | 1 |
| Diagnosis | | % within Sex | .0% | 2.1% | .6% |
| | 13-19 | Count | 1 | 1 | 2 |
| | | % within Sex | .8% | 2.1% | 1.1% |
| | 20-24 | Count | 2 | 4 | 6 |
| | | % within Sex | 1.5% | 8.5% | 3.4% |
| | 25-29 | Count | 11 | 7 | 18 |
| | | % within Sex | 8.5% | 14.9% | 10.2% |
| | 30-34 | Count | 27 | 12 | 39 |
| | | % within Sex | 20.8% | 25.5% | 22.0% |
| | 35-39 | Count | 30 | 8 | 38 |
| | | % within Sex | 23.1% | 17.0% | 21.5% |
| | 40-44 | Count | 25 | 7 | 32 |
| | | % within Sex | 19.2% | 14.9% | 18.1% |
| | 45-49 | Count | 13 | 6 | 19 |
| | | % within Sex | 10.0% | 12.8% | 10.7% |
| | 50-54 | Count | 6 | 1 | 7 |
| | | % within Sex | 4.6% | 2.1% | 4.0% |
| | 55-59 | Count | 8 | 0 | 8 |
| | | % within Sex | 6.2% | .0% | 4.5% |
| | 60-64 | Count | 3 | 0 | 3 |
| | | % within Sex | 2.3% | .0% | 1.7% |
| | 65-69 | Count | 2 | 0 | 2 |
| | | % within Sex | 1.5% | .0% | 1.1% |
| | 70+ | Count | 2 | 0 | 2 |
| | | % within Sex | 1.5% | .0% | 1.1% |
| Total | | Count | 130 | 47 | 177 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Sex | | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 61 | 16 | 77 |
| | | % within Sex | 46.9% | 34.0% | 43.5% |
| | African American | Count | 35 | 25 | 60 |
| | | % within Sex | 26.9% | 53.2% | 33.9% |
| | Hispanic | Count | 32 | 6 | 38 |
| | | % within Sex | 24.6% | 12.8% | 21.5% |
| | Asian-Pacific Islander | Count | 2 | 0 | 2 |
| | | % within Sex | 1.5% | .0% | 1.1% |
| Total | | Count | 130 | 47 | 177 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 46 | 0 | 46 |
| Exposure | | % within Sex | 35.4% | .0% | 26.0% |
| | IDU | Count | 38 | 25 | 63 |
| | | % within Sex | 29.2% | 53.2% | 35.6% |
| | M-M & IDU | Count | 10 | 0 | 10 |
| | | % within Sex | 7.7% | .0% | 5.6% |
| | Heterosexual Contact | Count | 4 | 8 | 12 |
| | | % within Sex | 3.1% | 17.0% | 6.8% |
| | Not Classified | Count | 32 | 13 | 45 |
| | | % within Sex | 24.6% | 27.7% | 25.4% |
| | Ped Parent at Risk | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 2.1% | .6% |
| Total | | Count | 130 | 47 | 177 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 76 | 77 |
| | | % within Adult-Ped | 100.0% | 43.2% | 43.5% |
| | African American | Count | 0 | 60 | 60 |
| | | % within Adult-Ped | .0% | 34.1% | 33.9% |
| | Hispanic | Count | 0 | 38 | 38 |
| | | % within Adult-Ped | .0% | 21.6% | 21.5% |
| | Asian-Pacific Islander | Count | 0 | 2 | 2 |
| | | % within Adult-Ped | .0% | 1.1% | 1.1% |
| Total | | Count | 1 | 176 | 177 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| Diagnosis % within Sex .2% .5% .2e 1 (12-23 mo) Count 4 2 % within Sex .1% .3% .2e 2-4 Count 2 4 % within Sex .1% .6% .2e 5-12 Count 5 3 % within Sex .2% .5% .2e 13-19 Count 15 7 2e % within Sex .5% 1.1% .6e 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.8t 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8t 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6t 35-39 Count 751 131 8e 40-44 Count 487 99 5e % within Sex <th></th> <th></th> <th></th> <th>Se</th> <th>ex</th> <th></th> | | | | Se | ex | |
|--|-----------|--------------|--------------|--------|--------|--------|
| Diagnosis % within Sex .2% .5% .29 | | | | Male | Female | Total |
| 1 (12-23 mo) Count 4 2 2 4 2 4 2 4 4 2 2 | | 0 (0-11 mo) | Count | 5 | 3 | 8 |
| % within Sex .1% .3% .2e 2-4 Count 2 4 % within Sex .1% .6% .2e 5-12 Count 5 3 % within Sex .2% .5% .2e 13-19 Count 15 7 2e % within Sex .5% 1.1% .66 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.8t 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8t 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6t 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4t 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9t 45-49 Count | Diagnosis | | % within Sex | .2% | .5% | .2% |
| 2-4 Count 2 4 % within Sex .1% .6% .29 5-12 Count 5 3 % within Sex .2% .5% .29 13-19 Count 15 7 2 % within Sex .5% 1.1% .66 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.86 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.86 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.66 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.44 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.99 45-49 Count 281 49 33 % within Sex <td></td> <td>1 (12-23 mo)</td> <td>Count</td> <td>4</td> <td>2</td> <td>6</td> | | 1 (12-23 mo) | Count | 4 | 2 | 6 |
| % within Sex .1% .6% .26 5-12 Count 5 3 % within Sex .2% .5% .26 13-19 Count 15 7 2 % within Sex .5% 1.1% .66 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.8% 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8% 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6% 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4% 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9% 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4% 5 | | | % within Sex | .1% | .3% | .2% |
| 5-12 Count 5 3 % within Sex .2% .5% .2° 13-19 Count .15 .7 .2° % within Sex .5% 1.1% .6° 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.8° 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8° 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6° 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4° 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9° 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4° 50-54 Count 140 21 16 | | 2-4 | Count | 2 | 4 | 6 |
| % within Sex .2% .5% .26 13-19 Count 15 7 2 % within Sex .5% 1.1% .66 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.88 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8° 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6° 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4° 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9° 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4° 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1° < | | | % within Sex | .1% | .6% | .2% |
| 13-19 | | 5-12 | Count | 5 | 3 | 8 |
| % within Sex .5% 1.1% .6 20-24 Count 140 49 18 % within Sex 4.2% 7.9% 4.8° 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8° 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6° 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4° 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9° 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4° 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1° 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3° | | | % within Sex | .2% | .5% | .2% |
| 20-24 Count 140 49 18 | | 13-19 | Count | 15 | 7 | 22 |
| % within Sex 4.2% 7.9% 4.8% 25-29 Count 522 97 61 % within Sex 15.8% 15.7% 15.8% 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6% 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4% 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9% 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4% 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1% 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | | % within Sex | .5% | 1.1% | .6% |
| 25-29 Count 522 97 61 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.6° 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4° 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9° 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4° 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1° 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3° 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6° | | 20-24 | Count | 140 | 49 | 189 |
| % within Sex 15.8% 15.7% 15.8% 30-34 Count 794 132 92 % within Sex 24.0% 21.4% 23.69 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.49 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.99 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.49 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.19 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.39 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.69 | | | % within Sex | 4.2% | 7.9% | 4.8% |
| 30-34 Count 794 132 92 | | 25-29 | Count | 522 | 97 | 619 |
| % within Sex 24.0% 21.4% 23.6% 35-39 Count 751 131 88 % within Sex 22.7% 21.2% 22.4% 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9% 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4% 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1% 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | | % within Sex | 15.8% | 15.7% | 15.8% |
| 35-39 Count 751 131 88 88 88 89 14.7% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0% 14.9% 16.0 | | 30-34 | Count | 794 | 132 | 926 |
| % within Sex 22.7% 21.2% 22.4 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.9 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6 | | | % within Sex | 24.0% | 21.4% | 23.6% |
| 40-44 Count 487 99 58 % within Sex 14.7% 16.0% 14.99 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.49 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.19 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.39 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.69 | | 35-39 | Count | 751 | 131 | 882 |
| % within Sex 14.7% 16.0% 14.9% 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4% 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1% 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | | % within Sex | 22.7% | 21.2% | 22.4% |
| 45-49 Count 281 49 33 % within Sex 8.5% 7.9% 8.4° 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1° 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3° 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6° | | 40-44 | Count | 487 | 99 | 586 |
| % within Sex 8.5% 7.9% 8.44 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.19 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.39 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.69 | | | % within Sex | 14.7% | 16.0% | 14.9% |
| 50-54 Count 140 21 16 % within Sex 4.2% 3.4% 4.1% 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | 45-49 | Count | 281 | 49 | 330 |
| % within Sex 4.2% 3.4% 4.1% 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | | % within Sex | 8.5% | 7.9% | 8.4% |
| 55-59 Count 84 8 9 % within Sex 2.5% 1.3% 2.3° 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6° | | 50-54 | Count | 140 | 21 | 161 |
| % within Sex 2.5% 1.3% 2.3% 60-64 Count 55 6 6 % within Sex 1.7% 1.0% 1.6% | | | % within Sex | 4.2% | 3.4% | 4.1% |
| 60-64 Count 55 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | 55-59 | Count | 84 | 8 | 92 |
| % within Sex 1.7% 1.0% 1.6 | | | % within Sex | 2.5% | 1.3% | 2.3% |
| | | 60-64 | Count | 55 | 6 | 61 |
| | | | % within Sex | 1.7% | 1.0% | 1.6% |
| | | 65-69 | Count | 21 | 5 | 26 |
| % within Sex .6% .8% .79 | | | % within Sex | .6% | .8% | .7% |
| 70+ Count 7 1 | | 70+ | Count | | | 8 |
| % within Sex | | | % within Sex | .2% | .2% | .2% |
| | Total | | Count | | | 3930 |
| % within Sex 100.0% 100.0% 100.0 | | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 2102 | 242 | 2344 |
| | | % within Sex | 63.4% | 39.2% | 59.6% |
| | African American | Count | 804 | 320 | 1124 |
| | | % within Sex | 24.3% | 51.9% | 28.6% |
| | Hispanic | Count | 380 | 49 | 429 |
| | | % within Sex | 11.5% | 7.9% | 10.9% |
| | Asian-Pacific Islander | Count | 16 | 2 | 18 |
| | | % within Sex | .5% | .3% | .5% |
| | Am Indian-Alaskan | Count | 3 | 1 | 4 |
| | | % within Sex | .1% | .2% | .1% |
| | Not Specified | Count | 8 | 3 | 11 |
| | | % within Sex | .2% | .5% | .3% |
| Total | _ | Count | 3313 | 617 | 3930 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 1871 | 0 | 1871 |
| Exposure | | % within Sex | 56.5% | .0% | 47.6% |
| | IDU | Count | 604 | 311 | 915 |
| | | % within Sex | 18.2% | 50.4% | 23.3% |
| | M-M & IDU | Count | 385 | 0 | 385 |
| | | % within Sex | 11.6% | .0% | 9.8% |
| | Hemophiliac | Count | 26 | 6 | 32 |
| | | % within Sex | .8% | 1.0% | .8% |
| | Heterosexual Contact | Count | 98 | 150 | 248 |
| | | % within Sex | 3.0% | 24.3% | 6.3% |
| | Transfusion | Count | 38 | 22 | 60 |
| | | % within Sex | 1.1% | 3.6% | 1.5% |
| | Not Classified | Count | 274 | 115 | 389 |
| | | % within Sex | 8.3% | 18.6% | 9.9% |
| | Ped Hemophiliac | Count | 3 | 0 | 3 |
| | | % within Sex | .1% | .0% | .1% |
| | Ped Parent at Risk | Count | 14 | 10 | 24 |
| | | % within Sex | .4% | 1.6% | .6% |
| | Ped Transfusion | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | .3% | .1% |
| | Ped Other-Undet | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .0% |
| Total | | Count | 3313 | 617 | 3930 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|-----------|------------|--------|
| | | | | Adult/ | |
| | | | Pediatric | Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 11 | 2333 | 2344 |
| | | % within Adult-Ped | 39.3% | 59.8% | 59.6% |
| | African American | Count | 15 | 1109 | 1124 |
| | | % within Adult-Ped | 53.6% | 28.4% | 28.6% |
| | Hispanic | Count | 2 | 427 | 429 |
| | | % within Adult-Ped | 7.1% | 10.9% | 10.9% |
| | Asian-Pacific Islander | Count | 0 | 18 | 18 |
| | | % within Adult-Ped | .0% | .5% | .5% |
| | Am Indian-Alaskan | Count | 0 | 4 | 4 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 11 | 11 |
| | | % within Adult-Ped | .0% | .3% | .3% |
| Total | | Count | 28 | 3902 | 3930 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| Age at 0 (0-11 Diagnosis 1 (12-2 2-4 5-12 | % w 23 mo) Cou % w Cou | vithin Sex int vithin Sex | Male 2 .1% 3 .2% 1 | Female 1 .3% 2 .5% | Total 3 .2% 5 .3% |
|---|--|--|--------------------|--------------------------------|-------------------------------|
| Diagnosis 1 (12-2 | % w 23 mo) Cou % w Cou % w | rithin Sex int rithin Sex int | .1% 3 .2% | .3% 2 .5% | .2% |
| 1 (12-2 | 23 mo) Cou % w Cou % w | int vithin Sex int | 3 .2% | .5% | 5 |
| 2-4 | Соц % w | vithin Sex Int | .2% | .5% | - |
| | Cou % w | ınt | | | .3% |
| | % w | | 1 | | |
| | | ithin Sex | | 2 | 3 |
| E 40 | Cou | | .1% | .5% | .2% |
| 5-12 | | ınt | 2 | 2 | 4 |
| | % w | ithin Sex | .1% | .5% | .2% |
| 13-19 | Cou | ınt | 10 | 4 | 14 |
| | % w | ithin Sex | .7% | 1.0% | .7% |
| 20-24 | Cou | ınt | 61 | 32 | 93 |
| | % w | ithin Sex | 4.0% | 8.2% | 4.9% |
| 25-29 | Cou | ınt | 196 | 73 | 269 |
| | % w | ithin Sex | 12.9% | 18.8% | 14.1% |
| 30-34 | Cou | ınt | 377 | 80 | 457 |
| | % w | ithin Sex | 24.8% | 20.6% | 23.9% |
| 35-39 | Cou | ınt | 339 | 81 | 420 |
| | % w | ithin Sex | 22.3% | 20.8% | 22.0% |
| 40-44 | Cou | ınt | 250 | 65 | 315 |
| | % w | ithin Sex | 16.4% | 16.7% | 16.5% |
| 45-49 | Cou | ınt | 136 | 30 | 166 |
| | % w | ithin Sex | 8.9% | 7.7% | 8.7% |
| 50-54 | Cou | ınt | 73 | 12 | 85 |
| | % w | ithin Sex | 4.8% | 3.1% | 4.5% |
| 55-59 | Cou | ınt | 37 | 3 | 40 |
| | % w | ithin Sex | 2.4% | .8% | 2.1% |
| 60-64 | Cou | ınt | 23 | 2 | 25 |
| | % w | ithin Sex | 1.5% | .5% | 1.3% |
| 65-69 | Cou | ınt | 8 | 0 | 8 |
| | % w | ithin Sex | .5% | .0% | .4% |
| 70+ | Cou | int | 3 | 0 | 3 |
| | % w | ithin Sex | .2% | .0% | .2% |
| Total | Cou | int | 1521 | 389 | 1910 |
| | % w | ithin Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 2-4 | Count | 1 | 0 | 1 |
| Age | | % within Sex | .1% | .0% | .1% |
| | 5-12 | Count | 4 | 3 | 7 |
| | | % within Sex | .3% | .8% | .4% |
| | 13-19 | Count | 3 | 6 | 9 |
| | | % within Sex | .2% | 1.5% | .5% |
| | 20-24 | Count | 8 | 4 | 12 |
| | | % within Sex | .5% | 1.0% | .6% |
| | 25-29 | Count | 37 | 26 | 63 |
| | | % within Sex | 2.4% | 6.7% | 3.3% |
| | 30-34 | Count | 129 | 63 | 192 |
| | | % within Sex | 8.5% | 16.2% | 10.1% |
| | 35-39 | Count | 300 | 82 | 382 |
| | | % within Sex | 19.7% | 21.1% | 20.0% |
| | 40-44 | Count | 395 | 86 | 481 |
| | | % within Sex | 26.0% | 22.1% | 25.2% |
| | 45-49 | Count | 293 | 59 | 352 |
| | | % within Sex | 19.3% | 15.2% | 18.4% |
| | 50-54 | Count | 173 | 39 | 212 |
| | | % within Sex | 11.4% | 10.0% | 11.1% |
| | 55-59 | Count | 89 | 14 | 103 |
| | | % within Sex | 5.9% | 3.6% | 5.4% |
| | 60-64 | Count | 48 | 4 | 52 |
| | | % within Sex | 3.2% | 1.0% | 2.7% |
| | 65-69 | Count | 26 | 2 | 28 |
| | | % within Sex | 1.7% | .5% | 1.5% |
| | 70+ | Count | 15 | 1 | 16 |
| | | % within Sex | 1.0% | .3% | .8% |
| Total | | Count | 1521 | 389 | 1910 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 865 | 156 | 1021 |
| | | % within Sex | 56.9% | 40.1% | 53.5% |
| | African American | Count | 414 | 196 | 610 |
| | | % within Sex | 27.2% | 50.4% | 31.9% |
| | Hispanic | Count | 225 | 31 | 256 |
| | | % within Sex | 14.8% | 8.0% | 13.4% |
| | Asian-Pacific Islander | Count | 10 | 2 | 12 |
| | | % within Sex | .7% | .5% | .6% |
| | Am Indian-Alaskan | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .1% |
| | Not Specified | Count | 6 | 3 | 9 |
| | | % within Sex | .4% | .8% | .5% |
| Total | | Count | 1521 | 389 | 1910 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 766 | 0 | 766 |
| Exposure | | % within Sex | 50.4% | .0% | 40.1% |
| | IDU | Count | 306 | 175 | 481 |
| | | % within Sex | 20.1% | 45.0% | 25.2% |
| | M-M & IDU | Count | 182 | 0 | 182 |
| | | % within Sex | 12.0% | .0% | 9.5% |
| | Hemophiliac | Count | 11 | 3 | 14 |
| | | % within Sex | .7% | .8% | .7% |
| | Heterosexual Contact | Count | 64 | 108 | 172 |
| | | % within Sex | 4.2% | 27.8% | 9.0% |
| | Transfusion | Count | 6 | 8 | 14 |
| | | % within Sex | .4% | 2.1% | .7% |
| | Not Classified | Count | 177 | 88 | 265 |
| | | % within Sex | 11.6% | 22.6% | 13.9% |
| | Ped Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | Ped Parent at Risk | Count | 8 | 6 | 14 |
| | | % within Sex | .5% | 1.5% | .7% |
| | Ped Other-Undet | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .3% | .1% |
| Total | _ | Count | 1521 | 389 | 1910 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | Adı | ult-Ped | |
|----------------|------------------------|--------------------|-----------|------------|--------|
| | | | | Adult/ | |
| | | | Pediatric | Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 6 | 1015 | 1021 |
| | | % within Adult-Ped | 40.0% | 53.6% | 53.5% |
| | African American | Count | 9 | 601 | 610 |
| | | % within Adult-Ped | 60.0% | 31.7% | 31.9% |
| | Hispanic | Count | 0 | 256 | 256 |
| | | % within Adult-Ped | .0% | 13.5% | 13.4% |
| | Asian-Pacific Islander | Count | 0 | 12 | 12 |
| | | % within Adult-Ped | .0% | .6% | .6% |
| | Am Indian-Alaskan | Count | 0 | 2 | 2 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 9 | 9 |
| | | % within Adult-Ped | .0% | .5% | .5% |
| Total | | Count | 15 | 1895 | 1910 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 11 | 9 | 20 |
| Diagnosis | | % within Sex | .5% | 1.2% | .6% |
| | 1 (12-23 mo) | Count | 3 | 5 | 8 |
| | | % within Sex | .1% | .7% | .3% |
| | 2-4 | Count | 3 | 6 | 9 |
| | | % within Sex | .1% | .8% | .3% |
| | 5-12 | Count | 7 | 8 | 15 |
| | | % within Sex | .3% | 1.0% | .5% |
| | 13-19 | Count | 39 | 32 | 71 |
| | | % within Sex | 1.6% | 4.2% | 2.2% |
| | 20-24 | Count | 153 | 92 | 245 |
| | | % within Sex | 6.3% | 12.0% | 7.7% |
| | 25-29 | Count | 331 | 144 | 475 |
| | | % within Sex | 13.7% | 18.8% | 14.9% |
| | 30-34 | Count | 545 | 140 | 685 |
| | | % within Sex | 22.5% | 18.3% | 21.5% |
| | 35-39 | Count | 538 | 135 | 673 |
| | | % within Sex | 22.2% | 17.6% | 21.1% |
| | 40-44 | Count | 374 | 107 | 481 |
| | | % within Sex | 15.5% | 14.0% | 15.1% |
| | 45-49 | Count | 206 | 47 | 253 |
| | | % within Sex | 8.5% | 6.1% | 7.9% |
| | 50-54 | Count | 100 | 25 | 125 |
| | | % within Sex | 4.1% | 3.3% | 3.9% |
| | 55-59 | Count | 54 | 10 | 64 |
| | | % within Sex | 2.2% | 1.3% | 2.0% |
| | 60-64 | Count | 35 | 5 | 40 |
| | | % within Sex | 1.4% | .7% | 1.3% |
| | 65-69 | Count | 13 | 0 | 13 |
| | | % within Sex | .5% | .0% | .4% |
| | 70+ | Count | 5 | 1 | 6 |
| | | % within Sex | .2% | .1% | .2% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .0% | .0% | .0% |
| Total | | Count | 2418 | 766 | 3184 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 1 (12-23 mo) | Count | 1 | 0 | 1 |
| Age | | % within Sex | .0% | .0% | .0% |
| | 2-4 | Count | 7 | 6 | 13 |
| | | % within Sex | .3% | .8% | .4% |
| | 5-12 | Count | 11 | 13 | 24 |
| | | % within Sex | .5% | 1.7% | .8% |
| | 13-19 | Count | 9 | 15 | 24 |
| | | % within Sex | .4% | 2.0% | .8% |
| | 20-24 | Count | 49 | 47 | 96 |
| | | % within Sex | 2.0% | 6.1% | 3.0% |
| | 25-29 | Count | 132 | 79 | 211 |
| | | % within Sex | 5.5% | 10.3% | 6.6% |
| | 30-34 | Count | 287 | 128 | 415 |
| | | % within Sex | 11.9% | 16.7% | 13.0% |
| | 35-39 | Count | 471 | 134 | 605 |
| | | % within Sex | 19.5% | 17.5% | 19.0% |
| | 40-44 | Count | 576 | 149 | 725 |
| | | % within Sex | 23.8% | 19.5% | 22.8% |
| | 45-49 | Count | 405 | 96 | 501 |
| | | % within Sex | 16.7% | 12.5% | 15.7% |
| | 50-54 | Count | 239 | 60 | 299 |
| | | % within Sex | 9.9% | 7.8% | 9.4% |
| | 55-59 | Count | 111 | 25 | 136 |
| | | % within Sex | 4.6% | 3.3% | 4.3% |
| | 60-64 | Count | 65 | 7 | 72 |
| | | % within Sex | 2.7% | .9% | 2.3% |
| | 65-69 | Count | 34 | 4 | 38 |
| | | % within Sex | 1.4% | .5% | 1.2% |
| | 70+ | Count | 21 | 3 | 24 |
| | | % within Sex | .9% | .4% | .8% |
| Total | | Count | 2418 | 766 | 3184 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1310 | 294 | 1604 |
| | | % within Sex | 54.2% | 38.4% | 50.4% |
| | African American | Count | 724 | 394 | 1118 |
| | | % within Sex | 29.9% | 51.4% | 35.1% |
| | Hispanic | Count | 344 | 65 | 409 |
| | | % within Sex | 14.2% | 8.5% | 12.8% |
| | Asian-Pacific Islander | Count | 15 | 3 | 18 |
| | | % within Sex | .6% | .4% | .6% |
| | Am Indian-Alaskan | Count | 2 | 3 | 5 |
| | | % within Sex | .1% | .4% | .2% |
| | Not Specified | Count | 23 | 7 | 30 |
| | | % within Sex | 1.0% | .9% | .9% |
| Total | _ | Count | 2418 | 766 | 3184 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth

| | | | Sex | | | |
|----------|----------------------|--------------|--------|--------|--------|--|
| | | | Male | Female | Total | |
| Mode of | Male-to-Male Sex | Count | 1190 | 0 | 1190 | |
| Exposure | | % within Sex | 49.2% | .0% | 37.4% | |
| | IDU | Count | 419 | 272 | 691 | |
| | | % within Sex | 17.3% | 35.5% | 21.7% | |
| | M-M & IDU | Count | 255 | 0 | 255 | |
| | | % within Sex | 10.5% | .0% | 8.0% | |
| · · | Hemophiliac | Count | 13 | 3 | 16 | |
| | | % within Sex | .5% | .4% | .5% | |
| | Heterosexual Contact | Count | 113 | 229 | 342 | |
| | | % within Sex | 4.7% | 29.9% | 10.7% | |
| | Transfusion | Count | 9 | 10 | 19 | |
| | | % within Sex | .4% | 1.3% | .6% | |
| | Not Classified | Count | 394 | 224 | 618 | |
| | | % within Sex | 16.3% | 29.2% | 19.4% | |
| | Ped Hemophiliac | Count | 2 | 0 | 2 | |
| | | % within Sex | .1% | .0% | .1% | |
| | Ped Parent at Risk | Count | 17 | 22 | 39 | |
| | | % within Sex | .7% | 2.9% | 1.2% | |
| | Ped Other-Undet | Count | 6 | 6 | 12 | |
| | | % within Sex | .2% | .8% | .4% | |
| Total | | Count | 2418 | 766 | 3184 | |
| | | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Fort Worth

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

| | | | Adult-Ped | | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/ | | |
| | | | Pediatric | Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 17 | 1586 | 1 | 1604 |
| | | % within Adult-Ped | 32.7% | 50.7% | 100.0% | 50.4% |
| | African American | Count | 31 | 1087 | 0 | 1118 |
| | | % within Adult-Ped | 59.6% | 34.7% | .0% | 35.1% |
| | Hispanic | Count | 4 | 405 | 0 | 409 |
| | | % within Adult-Ped | 7.7% | 12.9% | .0% | 12.8% |
| | Asian-Pacific Islander | Count | 0 | 18 | 0 | 18 |
| | | % within Adult-Ped | .0% | .6% | .0% | .6% |
| | Am Indian-Alaskan | Count | 0 | 5 | 0 | 5 |
| | | % within Adult-Ped | .0% | .2% | .0% | .2% |
| | Not Specified | Count | 0 | 30 | 0 | 30 |
| | | % within Adult-Ped | .0% | 1.0% | .0% | .9% |
| Total | | Count | 52 | 3131 | 1 | 3184 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Fort Worth